Index

Acacia haileyana, 91
decurrens, 89, 90, 91
melanoxylon, 87, 89
podalyriaefoliae, 91
vernicifluia, 89
Acer albopupurascens, 288, 289, 290
buergerianum var. *formosanum*, 288, 290
caudatifolium, 290
caudatum, 290
duplicato-serrulatum, 293
hypoleucum, 288, 289, 290
itoanum, 288, 289
johnedwardianum, 293
kawakamii, 288, 290, 291
var. *taitonmontanum*, 288, 291
lanceolatum, 288
litseaefolium, 288, 289
matsumurae, var. *formosanum*, 293
morissonense, 290, 291
oblongum, 288, 289, 290
var. *itoanum*, 289
var. *microcarpum*, 289
oliverianum var. *microcarpum*, 292
var. *nakaharii*, 292
var. *trilobatum*, 291
ornatum var. *matsumurae*, 293
ovatifolium, 290, 291
palmatum matsumurae var. *spontaneum*, 293
palmatum var. *pubescens*, 288, 293
rubescens, 288, 291
serrulatum, 288, 292
taiton-montanum, 291
taiwanense, 293
trifidum var. *formosanum*, 290
tutcheri var. *shimadai*, 288, 291
Acizzia, 87
Acmena floribunda, 122
Aedes aegypti, 166, 167, 187
albolineatus, 167, 184, 187
albopictus, 166, 176
amesii, 158
arboricolus, 167, 185
aurotaeniatus, 166, 169
baisasi, 163
bambusicolus, 167, 186
boharti, 167, 185
brayi, 162
camposanus, 262
carmenti, 151, 153, 154
desmotes, 166, 170
eupoclamus, 262
fumidus, 160
gardnerii, 166, 172
hoogstraali, 167, 187
kabaenensis, 163
kochi, 151, 152, 154
laffooni, 167, 186
longirostris, 163
mediopunctatus var. *perplexus*, 167, 182
meronephada, 166, 174
paullusi, 166, 178
quasiscutellaris, 151, 152, 153, 154
scapularis, 262
scutellaris, 154, 180
Agathiphaga, 18–28
queenslandensis, 23–28
vitiensis, 18–23, 26–28
***Aedes* Mosquitoes of the Philippine Islands. II. Subgenera *Skusea*, *Christophersiomyia*, *Geoskusea*, *Rhinoskusea*, and *Stegomyia*, 157–189**
Agathis, 17
australis, 17
palmerstoni, 28
robusta, 23, 27
vitiensis, 17
AKAMINE, ERNEST K.:
Germination of Seed of Koa Haole (*Leucaena glauca*), 51–52
Albizzia lophantha, 89
Alectrion, 303
californiana, 306
catallus, 312
cerritensis, 308
cooperi, 309
cooperi var. *woodwardi*, 309
fossata, 304
insculptus, 312
insculptus eupleura, 312
mendica cooperi, 309
mendicus, 309
obsoleta, 314
pagoda, 310
perpinguis, 305
tegula, 307
versicolor, 310
algae, iodine in, 318
species tested for iodine, 319–323
Allometric Growth in the Striped Marlin, *Makaira mitsukurii*, from New Zealand, 53–58
Anomalopsylla, 86, 124
insignita, 85, 124
Anopheles, 151
farauti, 151, 152, 154
Alseuosmia macrophylla, 107
Anthomastus fisheri, 126
granulosus, 127
steenstrupi, 127
Arcularia, 303
major, 303
tegula, 307
tiarula, 307
Argyropelecus, 13

Aristotelia serrata, 100
Armigeres breinli, 151, 153, 154
Arytaina, 87, 91
robusta, 96
Asplenium nidus, 3
Atmetocranium, 86, 123
meyersi, 86, 123

BARNARD, J. LAURENS:
New Species of Amphipod from Lower California, 295–299
Bathytroctes rostratus, 14
BAYER, FREDERICK M.:
Descriptions and Redescriptions of Hawaiian Octocorals Collected by the "Albatross," 126–136
Boerhavia diffusa, 33
Boronia sp., 97
Brachyglottis repandra, 109
Buccinum
arcularia, 303
decussatum, 310
elegans, 304
fossatum, 304
papillosum, 303
tiarula, 307
Bulbophyllum, 3
Gibbonianum, 3
guamense, 4
micronesiacum, 3
nuruanum, 3
urceolatum, 4

Camphusia, 30, 31
glabra, 30
glabra kauaiensis, 30
Carmichaelia, 95
CARNAHAN, J. A.:
Inter-tidal Zonation at Rangitoto Island, New Zealand, 35–46
Cassinia leptophylla, 107
Cassis, 303
Chapmania sparmanella, 26
Christophersiomyia, 162
Clavularia corrugata, 131
expansa, 131
grandiflora, 129
ornata, 131
spiculicola, 131
Clianthus puniceus, 89
Clinocottus recalvus, 256–258
Clupea pallasii, 62
Ctenarytaina, 86, 96
clavata, 96
distincta, 96
eucalypti, 97
fuchsiae, 96
lulla, 96
pollicaris, 96
thysanura, 97
Culex annulirostris, 151, 152, 153, 154
impatibilis, 187

Dacrydium bidwillii, 120
biforme, 120, 121
DEMOND, JOAN:
Nassariidae of the West Coast of North America, 300–317
Dendrobium, 5
Adamsii, 5
carolinense, 6
coerulescens, 7
implicatum, 6, 7
lapeyrousioides, 7
nanarauticolum, 6
ponapense, 7
violaceo-miniatum, 7
patenti-filiforme, 6
pruinosum, 6, 7
Descriptions and Redescriptions of the Hawaiian Octocorals Collected by the U. S. Fish Commission Steamer "Albatross." (1. Alcyonacea, Stolonifera, and Telestacea.), 126–136
Dew as a Source of Plant Moisture, 259–261
Diplocaulobium, 7
carolinense, 7
elongaticolle, 8
flavicolle, 9
nitidissimum, 8
Discaria toumatou, 98, 99, 103
Dodonaea viscosa, 87, 93
Dracophyllum urvilleanum var. *montanum*, 118
DUMBLETON, L. J.:
A New Genus of Seed-infesting Micropterygid Moths, 17–29

earthquake, Kona, 269
damage, 273–281
epicenter, 284
instrumental data, 270
intensity, 285
tsunami, 274
Echinochloa colona, 151
Eione, 303
Eleusine indica, 151
Engraulis australis, 68
mordax, 62, 68
Epinnula, 193, 195, 198, 202
magistralis, 193, 198–200
Eriocrania purpurella, 26, 27
sangi, 26
Eriopisa, 295
chilkensis, 297
elongata, 297
garthi, 295
philippensis, 297
seurati, 297
Eriopisella, 297
capensis, 297
pusilla, 297
sechellensis, 297
Eucalyptus bicostata, 97
globulus, 97
Euphalerus nidifex, 87, 93

Fimbristylis atollensis, 145–150
cymosa, 149, 150

Galeodes, 303
Geissanthera, 9
Hosokawae, 9
papuana, 9, 10
Gempylus, 193, 195, 202
serpens, 197, 201–203
Geniostoma ligustrifolium, 98

Genus *Acer* (Maples) in Formosa and the Liukiu [Ryukyu] Islands, 288–294
Geoskusea, 162
Germination of Seed of Koa Haole (*Leucaena glauca*), 51–52
GILL, WILLIAM R., and G. D. SHERMAN:
Gray Hydromorphic Soils of Hawaiian Islands, 137–144
Gonostoma, 13
GOSLINE, WILLIAM A.:
A New Atherinid Fish of the Genus *Iso* from the Hawaiian Islands, 47–50
Gouania Hillebrandii, 255
GRIMM, MADELON R.:
Iodine Content of Some Marine Algae, 318–323
growth patterns of fish, 54
Gyropsylla, 86, 123
zealandica, 124

Hakea acicularis, 92
dactyloides, 92
HANEDA, YATA:
Some Luminous Fishes of the Genera *Yarrella* and *Polyipnus*, 13–16
HARTMAN, OLGA:
On the Identity of *Stylarioides inflata*, 71–74
HAWKES, ALEX D.:
Notes on a Collection of Orchids from Ponape, Caroline Islands, 3–12
Hebe angustifolia, 119
salicifolia, 85, 99, 101, 120
HIATT, ROBERT W., and A. L. TESTER:
Variation in the Vertebral Number of the Anchovy, 59–70
Hibiscus tiliaceus, 7
HULL, WILLIAM B., and KENNETH L. KNIGHT:
Aedes Mosquitoes of the Philippines. II., 157–189

iao, 47
Ilyanassa obsoleta, 314
Inter-tidal Zonation at Rangitoto Island, New Zealand. (Studies in Inter-tidal Zonation 4.), 35–46
Iodine Content of Some Marine Algae, 318–323
Isodendrion, 213
Fauriei, 255
Forbesii, 218–221
hawaiiense, 218, 221–224
Hillebrandii, 218, 224–226
Hosakae, 218, 226–229
lanaiense, 218, 229–232
laurifolium, 217, 232–234
longifolium, 217, 234–236
Lydgatei, 218, 236–239
maculatum, 218, 239–243
molokaiense, 218, 243–245
pyrifolium, 218, 245–247
Remyi, 218, 247–250
subsessilifolium, 218, 250–252
waianaeense, 218, 252–255
Iso flos-indicus, 49
flos-maris, 49
hawaiiensis, 47–49
natalensis, 49
rhothophilus, 49
Ipomoea pes-caprae, 33
IWAI, TAMOTSU, and KIYOMATSU MATSUBARA:
Studies on Japanese Gempylidae, 193–212

JUNE, FRED C.:
Observations on a Specimen of Bluefin Tuna, 75–76

Kauri, seed-infesting moths of, 17–29
KNIGHT, KENNETH L., and WILLIAM B. HULL:
Aedes Mosquitoes of the Philippines. II., 157–189
Kona Earthquake of August 21, 1951, and Its Aftershocks, 269–287

LAIRD, MARSHALL:
Mosquitoes of Nissan Island, 151–156
LEOPOLD, LUNA B.:
Dew as a Source of Plant Moisture, 259–261
Lepidocybium, 195
Leptospermum ericoides, 96
scoparium, 96
Leucaena glauca, 51
LEVI-CASTILLO, ROBERTO:
Redescription of *Aedes camposanus*, 262–264
Levidea lineata, 123
LI, HUI-LIN:
Genus *Acer* in Formosa and the Liukiu Islands, 288–294
littoral ecology, 35–46
luminous fish, 13

MACDONALD, GORDON A., and CHESTER K. WENTWORTH:
The Kona Earthquake of August 21, 1951, and Its Aftershocks, 269–287
Makaira albida, 56
mitsukurii, 53
nigricans ampla, 54
nigricans marlina, 56
MATSUBARA, KIYOMATSU, and TAMOTSU IWAI:
Studies on Japanese Gempylidae, 193–212
Maurolicus, 13
Metaphalara, 86, 123
zealandica, 123
Metrosideros excelsa, 122
umbellata, 102
Microtatorchis, 9
Micropterygoidea, 17
Micropteryx ammanella, 26
aureatella, 25
calthella, 25
Mimasea, 193, 195, 200, 202
taeniosoma, 194, 197, 200–202
Mnemonica auricyanea, 23, 26, 27
Moerenhoutia, 10
constricta, 10
lamellata, 10
leucantha, 10
Monograph of the Genus *Isodendrion* (Violaceae), 213–255
MORRIS, ROBERT W.:
Spawning Behavior of Cottid Fish, 256–258
MORROW, JAMES E., JR.:
Allometric Growth in the Striped Marlin, 53–58
mosquitoes, 151, 157
mud snails, 300
Mühlenbeckia australis, 118

Nassa californiana, 306
cerritensis, 308
cooperi, 309
corpulenta, 314
delosi, 306

fossata, 304
gibbsii, 309
insculpta, 312
intastriata, 305
interstriata, 305
mendica, 308
var. *cooperi*, 309
obsoleta, 314
pagoda, 310
perpinguis, 305
reevei, 304
tegula, 307
tiarula, 307
versicolor, 310
var. *striatula*, 310
Nassariidae, 300
ecology, 300
taxonomy, 302
Nassariidae of the West Coast of North America between Cape San Lucas, Lower California, and Cape Flattery, Washington, 300–317
Nassarius, 303
californianus, 304, 306
catallus, 304, 312
cerritensis, 304, 308
cooperi, 309
corpulentus, 304, 309
dentiferus, 315
eupleura, 312
fossatus, 304
insculptus, 304, 312
lirata, 316
mendicus, 304, 308
mendicus cooperi, 304, 309
mendicus indisputabilis, 316
nodicinctus, 315
nodiferus, 315
noduliferus, 315
obsoletus, 304, 314
onchodes, 316
pagodus, 304, 310
perpinguis, 304, 305, 307
tegula, 304, 307, 308
tegula tiarula, 304, 307
tiarulus, 307, 308
tschudii, 315
versicolor, 304, 310
Nealotus, 193, 195, 207
tripes, 207–209
nehu, 59
Neoepinnula, 193, 195, 202
orientalis, 193, 194, 196, 197, 200, 201
Neopseustis, 26
New Atherinid Fish of the Genus *Iso* from the Hawaiian Islands, 47–50
New Genus of Seed-infesting Micropterygid Moths, 17–29
New Species of Amphipod from Lower California (Genus *Eriopisa*), 295–299
New Variety of *Pandanus* and a New Species of *Fimbristylis* from the Central Pacific Islands, 145–150
Notes on a Collection of Orchids from Ponape, Caroline Islands, 3–12
Notes on Hawaiian Species of *Scaevola* (Goodeniaceae). Hawaiian Plant Studies 19, 30–34
Notes on the Mosquitoes of Nissan Island, Territory of New Guinea, 151–156
Nothofagus, 99, 119
Nothopanax, 99, 104
anomolum, 105
arboreum, 105
colensoi, 105
edgerleyi, 105
simplex, 105
Notocheirus, 49
hubbsi, 49

Oberonia, 10
Hosokawae, 10
ponapensis, 10
Observations on a Specimen of Bluefin Tuna (*Thunnus thynnus*) Taken in Hawaiian Waters, 75–76
Olearia, 85
arborescens, 112
avicenniae folia, 102, 111
ilicifolia, 110, 112, 114
lacunosa, 114, 115, 116
macrodonta, 112, 113
rani, 112
On the Identity of *Stylarioides inflata* (Treadwell) and Its Extended Distribution (Annelida), 71–74
On the Psyllidae of New Zealand (Homoptera), 83–125
orchids, 3

Pandanus odoratissimus var. *novocaledonicus*, 145
odoratissimus var. *novoguineensis*, 145
Papiana, 96
distincta, 96
lulla, 96
Parathunnus sibi, 76
Paspalum conjugatum, 151
Pauropsylla meyersi, 123
depressa, 123
verticis, 123
Pennisetum macrostachyum, 152
Phaius, 10
amboinensis, 10
Photichthys argentius, 14
Phreatia
caroliniensis, 10
Goodspeediana, 11
Kanehirae, 10
kusaiensis, 10
ladronica, 10, 11
pacifica, 10
palawensis, 10
pseudo-Thompsonii, 10
ponapensis, 10
Thompsonii, 10
Pittosporum, 98
colensoi, 98
crassifolium, 98
eugenioides, 98
tenuifolium, 98
Platycheirus, 110
Polyipnus, 13
spinosus, 13
stereope, 13
Porichthys, 13
Powellia, 97, 98
Pranesus insularum, 47
Promethichthys, 193, 195, 207
prometheus, 194, 197, 201, 207, 209

Properties of the Gray Hydromorphic Soils of the Hawaiian Islands, 137–144
Pseuderia, 12
frutex, 12
micronesiaca, 12
Pseudocladochonus mosaica, 131
versluysi, 131
Pseudopanax, 104
Psylla, 86, 87
acaciae, 87, 92, 93
acaciae-baileyanae, 87, 91
albizziae, 89
apicalis, 87, 93
carmichaeliae, 87, 94
carmichaeliae indistincta, 95
conspicua, 87
dodonaeae, 87, 92
exquisita, 90
hakeae, 91
jucunda, 89
uncatoides, 89

Redescription of *Aedes* (*Ochlerotatus*) *camposanus* Dyar (1918) as a Valid Species Found in the Coastal Plain of Ecuador, 262–264
Rexea, 193, 195, 203
solandri, 201, 204–207
Rhinocola, 96
aceris, 86
eucalypti, 96
fuchsiae, 96
Rhinoskusea, 163
Rhyacophila dorsalis, 28
Ruvettus, 195

Sabatinca barbarica, 25
incongruella, 25
ST. JOHN, HAROLD:
Monograph of the Genus *Isodendrion,* 213–255
A New Variety of *Pandanus* and a New Species of *Fimbristylis* from the Central Pacific Islands, 145–150
Notes on Hawaiian Species of *Scaevola,* 30–34
Scaevola, 30, 31
coriacea, 30
enantophylla, 31
frutescens, 32, 145
frutescens moomomiana, 33
frutescens sericea, 32
glabra, 30, 31, 32
Gaudichaudiana, 34
Helmsii, 31
Kauaiensis, 30
Menziesiana, 30
mollis, 33
mollis albiflora, 33
Skottsbergii, 30
tomentosa, 31
Schefflera, 106
digitata, 106
Schizopyga californiana, 306
californica, 306
Semicassis, 303
Senecio, 85
adamsii, 108
rotundifolius, 117
Shawia paniculata, 85, 102, 125
SHERMAN, G. DONALD, and WILLIAM R. GILL:
Gray Hydromorphic Soils of Hawaiian Islands, 137–144
Siphonogorgia alexanderi, 128
collaris, 129
variabilis, 129
Skusea, 157
soils, gray hydromorphic, 137
Some Luminous Fishes of the Genera *Yarrella* and *Polyipnus,* 13–16
Sophora tetraptera, 93
Spawning Behavior of the Cottid Fish *Clinocottus recalvus* (Greeley), 256
Stegomyia, 165
Sternoptyx, 13
Stolephorus purpureus, 59
Studies on Some Japanese Fishes of the Family Gempylidae, 193–212
Stylarioides inflata, 71–74
dimissus, 71

Taeniophyllum, 9
Tainarys, 86, 124
taro, 152
Telesto ambigua, 131
Telestula, 131
corrugata, 133
septentrionalis, 131
spiculicola, 131
spiculicola robusta, 133
TESTER, ALBERT L., and ROBERT W. HIATT:
Variation in the Vertebral Number of the Anchovy, 59–70
Tetragonocephala flava, 93
Thunnus orientalis, 75, 76
thynnus, 75, 76
tidal factors in littoral ecology, 40–44
Trioza, 86, 97
acuta, 107, 108
adventicia, 98, 121
alseuosmiae, 106
australis, 116, 117
bifida, 102, 105
colorata, 120
compressa, 111, 112
crinita, 112, 113, 114
curta, 122
dacrydii, 120
decurvata, 118
discariae, 98, 103
doryphora, 109, 110, 112
emarginata, 99
equalis, 100
eugeniae, 122
falcata, 100
fasciata, 117
flavida, 115, 116
gourlayi, 102
hebicola, 85, 99, 101
irregularis, 104, 105, 106
latiforceps, 114, 115, 116
obfusca, 118
obscura, 118
panacis, 103, 105
parvipennis, 107
schefflericola, 106
scobina, 114, 115
styligera, 117
subacuta, 108, 111, 112

subvexa, 105, 110, 112
vitreoradiata, 98, 99, 105
Tripteroides nissanensis, 151, 154
quasiornatus, 154
Triton pagodus, 310
Trophonia inflata, 71
minuta, 71
Tropidostethops, 49
tsunami, 274
TUTHILL, L. D.:
On the Psyllidae of New Zealand, 83–125

Variation in the Vertebral Number of the Anchovy (*Stolephorus purpureus*) in Hawaiian Waters, 59–70
vertebral number in anchovies, 59

Weinmannia racemosa, 123
sylvicola, 123
WENTWORTH, CHESTER K., and GORDON A. MACDONALD:
The Kona Earthquake of August 21, 1951, and Its Aftershocks, 269–287
Wuchereria bancrofti, 154

Yarrella, 13
blackfordi elongata, 13
blackfordi illustrius, 13